WO 2004/082935 PCT/GB2004/001125

## **CLAIMS**

1. An adhesive fabric capable of adhering to the skin of a body, comprising: a barrier layer bonded on one side of a fabric substrate and a cured adhesive silicone gel layer bonded to the barrier layer whereby the barrier prevents absorption of the adhesive silicone gel coating into the fabric substrate.

- 2. The adhesive fabric as claimed in Claim 1 wherein the barrier material is a silicone elastomer.
  - 3. The adhesive fabric as claimed in Claims 1 or 2 wherein the silicone elastomer has a viscosity of between 50,000 and 150,000 MPas in its uncured state.

15

5

4. A method for manufacturing an adhesive fabric including: extruding a layer of a curable barrier material onto a fabric substrate; curing the barrier material to form a barrier layer; extruding a layer of a curable adhesive silicone gel on top of the barrier layer and curing the adhesive silicone gel.

20

5. A method according to Claim 4 wherein the adhesive silicone gel is extruded onto the extruded barrier material prior to curing of the barrier material.

25

6. A hose having a tubular body formed from a fabric, the tubular body having at one end a leg opening, the fabric in the region of the leg opening being provided with an adhesive coating capable of adhering to the skin of a wearer.

30

WO 2004/082935 PCT/GB2004/001125

7. A hose according to Claim 6 wherein the adhesive coating is formed into a band which extends circumferentially about the leg opening.

- 8. A hose according to Claim 7 wherein the band extends continuously around the entire circumference of the leg opening.
  - 9. A hose according to Claim 6 wherein the adhesive coating is formed into discrete regions spaced about the circumference of the leg opening.
- 10. A hose according to any of Claims 6 to 9 wherein the region of fabric carrying said adhesive coating is a separate strip of fabric attached to the remainder of the tubular body.
- 11. A hose according to any of Claims 6 to 10 wherein the fabric carrying the adhesive coating is a knitted, woven or non-woven fabric.
  - 12. A hose according to Claim 11 wherein the fabric carrying the adhesive coating is a knitted fabric which is knitted from non-elastomeric yarns only.
  - 13. A hose according to Claim 11 wherein the fabric carrying the adhesive coating is a knitted fabric which includes elastomeric yarn to provide the fabric with a desired modulus of elasticity.

20

30

- 25 14. A hose according to any of Claims 6 to 13 wherein the adhesive qualities of the adhesive coating are regenerable.
  - 15. A hose according to any of Claims 6 to 14 wherein the adhesive coating is formed from pressure sensitive adhesive which is permanently tacky.

WO 2004/082935 PCT/GB2004/001125

16. A hose according to Claim 15 wherein the adhesive is an acrylic adhesive.

- 5 17. A hose according to Claim 15 wherein the adhesive is a cured silicone gel.
  - 18. A hose according to any of Claims 6 to 17 wherein the adhesive coating defines a continuous layer of adhesive.
- 19. A hose according to any of Claims 6 to 18 wherein the adhesive coating defines a discontinuous layer of adhesive.

10